

BIO - REDEEM

A unique bio enzymatic formulation for cleaning hydrocarbons from all surfaces



CHALLENGES





HOW TO USE

Clean Petrol, Diesel or Oil from Water

- Blend with warm water 3:1 (3 parts Water: 1part Bio Redeem liquid) and
 Spray
- The rainbow immediately disappears

Cleaning grease and fuel grime on equipment: fuel pumps, tractors, farm equipment etc.

- Blend with warm water 3:1 and spray. You may need to scrub
- Wipe Out after 2 Minutes and may be reapplied

Cleaning soot from oil furnace on concrete

- Blend with warm water 1:1 and spray. Brush if needed
- Wash Out with Water until clean

Cleaning Furnace Oil, Crude Oil, Diesel or Petrol in the ground and on grass

- Blend 1:5 with warm water, use equal volume of concentrate to Spill
- Pour mixture on ground. Let it sit Indefinitely

- Non-toxic, non-flammable biodegradable cleaner
- Contains virtually no volatile organic compounds (no toxic odors)
- Effectively cleans a variety of hard surfaces
- Safer alternative to harsh chemical (caustic or acidic) cleaners
- Non---corrosive and non---irritating formulation means it's safer for users and the environment.
- Easy to use.

Eco-Friendly Sanitizing Solutions

- A visually cleaner garage floor and driveway with less effort.
- Deep--clean tough stains in the workshop, factory garage and basement with a product that is safer for family and pet than the chemical alternatives.
- More effective than a solvent--based product, yet is safe to use and friendly to the environment.
- Use one product for a wide range of cleaning applications including garage floors, basements, outdoor furniture, tools and equipment



Specification

- Bacteria Count 54 x 10⁷ cfu/ml (540 million/ml) in liquid & 54 x 10⁹ cfu/ml in Powder
- Bacteria Type Blend of Bacillus and Paenibacillus spores
- Salmonella not detected
- Appearance Tan brown liquid
- Fragrance Mild chemical odor
- PH 7.0 -- 9.0
- Shelf--life Two years; maximum loss of 1.0 log at recommended storage conditions

Storage and Handling

 Store closed containers at room temperature. Wash hands thoroughly with warm, soapy water after contact. Avoid eye contact.



Application Area

- Airports
- Railways
- Motor workshops and Garages
- Industrial Shop floors
- Ports and Harbour
- Ship breaking yard
- Oil refineries
- Oil spillages on land and sea
- Oil stains on carpet and concrete